
No.



8600141

THE ONLINED STAYLES OF ANTERIOA

TO ALL TO WHOM THESE: PRESENTS: SHALL COME;

Asgrow Seed Company

Cothereas, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act 1542, As amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'A3733'

In Essimonn Waterest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of April in the year of our Lord one thousand nine hundred and eighty-seven.

Victor E.

Secretary of Agriculture

American

Senseth & Lexens Commissioner Plant Variety Presentin Olice

Plant Variety Protection Office Assignitional Marketing Lawren

U.S. DEPARTMENT OF AGRICULTU		FORM APPROVED: OMB NO. 0581-0055		
AGRICULTURAL MARKETING SERV	Application is required in order to determine if a plant variety protection certificate is to			
APPLICATION FOR PLANT VARIETY PROTEGULAR (Instructions on reverse)	CTION CERTIFICATE	be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME		
Asgrow Seed Company	XP3633	A3733		
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY		
Unit 9620-190-20		PVPO NUMBER		
Kalamazoo, MI 49001	(616) 385-6605	8600141		
6. GENUS AND SPECIES NAME 7. FAMILY NAME	ME (Botanical)	DATE		
Glycine max Legumi	nosa	July 24, 1986 ZAM. P.M.		
8. KIND NAME 9.	DATE OF DETERMINATION	AMOUNT FOR FILING		
		a s 1800, =		
Soybean	October, 1981	DATE 1/ 1986		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM	OF ORGANIZATION (Corporation	DATE DATE		
partnership, association, etc.)		\$ 200.00 BATE		
Corporation		DATE Narch 27 1987		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION		
Delaware		March 22, 1968		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), II	F ANY, TO SERVE IN THIS APPLIC	ATION AND RECEIVE ALL PAPERS		
Mr. John A. Batcha, Asgrow Seed Company,	9620-190-20, Kalamaz	oo, MI 49001		
		(616) 385-6605		
A4 01/50/ 4000000	PHONE (Include are	a code):		
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMIT a. D Exhibit A, Origin and Breeding History of the Variety (See	and the second of the second o	tection Act.)		
b. T Exhibit B, Novelty Statement.		일시 소속 하다 말을 하는데 보다.		
c. 🖸 Exhibit C, Objective Description of Variety (Request form	from Plant Variety Protection Offic	e.)		
d. Exhibit D, Additional Description of Variety.				
e. LX Exhibit E, Statement of the Basis of Applicant's Ownership 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIE		ONLY AS A CLASS OF CERTIFIED		
SEED? (See Section 83(a) of the Plant Variety Protection Act.)	Yes (If "Yes," answer i			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEE	HICH CLASSES OF PRODUCTION D?		
☐ Yes X No	Foundation	Registered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTI		S.?		
		Yes (If "Yes," give date)		
		E No		
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE.	OR MARKETED IN THE U.S. OR	OTHER COUNTRIES ?		
		Yes (If "Yes," give names of countries and dates)		
20. The applicant(s) declare(s) that a viable sample of basic seeds	of this parises, will be furnished	X No		
plenished upon request in accordance with such regulations a	s may be applicable.	with the application and will be re-		
The undersigned applicant(s) is (are) the owner(s) of this sextidistinct, uniform, and stable as required in Section 41, and is Variety Protection Act.	ually reproduced novel plant vari entitled to protection under the	ety, and believe(s) that the variety is provisions of Section 42 of the Plant		
Applicant(s) is (are) informed that false representation herein	can jeopardize protection and r	esult in penalties.		
SIGNATURE OF APPLICANT		DATE		
John a Batch		July 14, 1986		
SIGNATURE OF APPLICANT		DATE /		

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A3733

- 1978 Original cross (B78442) made at Oxford, Indiana Parents: ELF * A3127
- 1978-79 10 F1 plants grown at Delray Beach, Florida under lighted (fall) conditions
- 1979 F2 bulk population grown at Delray Beach, Florida; single pods (spring) picked from each plant.
- 1980 F3 population grown at Oxford, Indiana; single pods picked (summer) from each plant.
- 1980 F4 bulk population grown at Delray Beach. Single plants (fall) threshed from bulk populations.
- 1981 F5 plant rows grown at Oxford, Indiana. Row B81-007331 was (summer) selected and bulk harvested.
- B81-07331 (later A3733) was grown in a Preliminary Test, P335, at Oxford, Indiana and at Merna, Illinois.
- B81-0733 was grown in Advanced Test C307 at seven locations. On the basis of these tests, B81-0733 was designated X3633.
- X3633 was grown in Advanced Tests at 21 locations. On the basis of these tests, X3633 was advanced to XP3633. A breeder seed Maintenance Test consisting of replicated lines of XP3633 was also grown in 1984. Lines confirming to a uniform type were bulked to provide breeder seed for increase.
- 1985 & Further advanced testing at many locations. The variety was 1986 named A3733.

A3733 is uniform and stable within commercially acceptable limits. As with any other soybean variety, offtypes or variants can develop during the course of repeated sexual multiplication.

EXHIBIT B

NOVELTY STATEMENT CONCERNING A3733 SOYBEAN

To our knowledge, the soybean variety that most resembles A3733 is Asgrow A3127. Characteristics that differentiate A3733 include, but are not necessarily limited to the following:

- 1. Maturity: A3733 is 7 days later than A3127.
- 2. <u>Brown Stem Rot Resistance:</u> A3733 is resistant to Brown Stem Rot while A3127 is less susceptible.

Data from greenhouse test conducted by Dr. Cecil Nickell, Department of Agronomy, University of Illinois, Urbana, Illinois, is as follows:

		1985					1986				
			P Leaf	lants ¹ Stem	Leaf ²	Plants ¹ _eaf ² Stem2 Leaf Ste			n Leaf ² Stem ²		
				%	No. of	Nodes	%		No. of	Nodes	
	A3127	,	26.7	40.0	0.7	1.2	47	100	0.7	4.5	
	A3733	i.	00.0	13.7	0.0	0.2	13	100	0.1	3.7	

 $^{1}\text{Percent}$ of plants with leaf or stem symptoms. Five plants per pot with three replications

²Height of leaf or stem symptoms as measured by node number.

FORM LMGS-470 57 (2-82)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATIO	N VARIETY NAME	
Asgrow Seed Company	XP3633	Asgrow /	N3733
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co		FOR OFFICIAL	. USE ONLY
Unit 9620-190-20		PVPO NUMBER	
Kalamazoo, MI 49001		86001	41
Choose the appropriate response which characterizes the vin your answer is fewer than the number of boxes provided	ariety in the features describe I, place a zero in the first box	d below. When the numbe when number is 9 or less (r of significant digits e.g., 0 9).
1. SEED SHAPE:			
	1 T		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flatten	ed (L/W ratio > 1.2; L/T ratio ed (L/T ratio > 1.2; T/W > 1.	= < 1.2) 2)
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Oti	ner (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		•	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Net	osoy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)		•	
1 6 Grams per 100 seeds		·	
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect	Black 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
2 1 Type A (SP1 ^a) 2 = Type B (SP1 ^b))		
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green only ('Evans'; 'Davis') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 7') 4 = Dark Purple extending to unifoliate leaves ('Hodgson')		ns ('Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
2 1 = Lanceolate 2 = Oval 3 = Ova	te 4 = Other (Specify)		<u> </u>
ייי דייי דייי			1.487.4

July 14	, 1986 · A3733				
11. LEAF	LET SIZE:			-	
1	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Cors	oy 79'; 'Gasoy 17')		8600141
12. LEAF	COLOR:	**************************************	<u> </u>		
3	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green	('Corsoy 79'; 'Braxton')	
13. FLOW	ER COLOR:	<u> </u>	······································		
2	1 = White 2 = Purple	3 = White with purple	throat		
14. POD C	OLOR:				
1	1 = Tan 2 = Brown	3 = Black	n di dinamana na pangana a sa		
15. PLAN	T PUBESCENCE COLOR:		-		
2	1 = Gray 2 = Brown (Tawny)			
16. PLAN	T TYPES:				
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate (*	'Amcor'; 'Braxton')		
17. PLAN	THABIT:				
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved	2 = Semi-Determin I Pelican')	ate ('Will')		
18. MATU	RITY GROUP:				
0 6	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 =			7 = IV 8 =	V
19. DISEA	SE REACTION: (Enter 0 = Not Tested; 1	I = Susceptible; 2 = Resistant)			
BACT	FERIAL DISEASES:				
	Bacterial Pustule (Xanthomonas phaseo	li var. sojensis)			
0	Bacterial Blight (Pseudomonas glycinea))		·	
0	Wildfire (Pseudomonas tabaci)				
FUNG	AL DISEASES:		÷.	•	
0	Brown Spot (Septoria glycines)				
	Frogeye Leaf Spot (Cercospora sojina)				
	Race 1 0 Race 2 0	Race 3 0 Race 4	0 Race 5	Other (Special	W Commence of the commence of
0	Target Spot (Corynespora cassiicola)	•			Very land
0	Downy Mildew (Peronospora trifoliorun	n var. manshurica)			
2	Powdery Mildew (Microsphaera diffusa)		•		
2	Brown Stem Rot (Cephalosporium grega	itum)			
0	Stem Canker (Diaporthe phaseolorum va	er. caulivora)			7

July 14, 1986 A	13/33		
19. DISEASE REACTION	4: {Enter 0 = Not Tested; 1 = Susceptible; 2 = f	Resistant) (Continued)	0400444
FUNGAL DISEASE	ES: (Continued)		8600141
O Pod and Ster	n Blight (<i>Diaporthe phaseolorum</i> var; sojae)		
O Purple Seed	Stain (Cercospora kikuchii)		
0 Rhizoctonia	Root Rot (Rhizoctonia solani)		
Phytophthor	a Rot (Phytophthora megasperma var. sojae)		
1 Race 1	0 Race 2 1 Race 3 1	Race 4 0 Race 5	0 Race 6 0 Race 7
0 Race 8	0 Race 9 Other (Specify)		
VIRAL DISEASES			
0 Bud Blight (1	Fobacco Ringspot Virus)		
O Yellow Mosa	ic (Bean Yellow Mosaic Virus)		
0 Cowpea Mosa	aic (Cowpea Chlorotic Virus)		
O Pod Mottle (I	Bean Pod Mottle Virus)	•	
0 Seed Mottle	Soybean Mosaic Virus)	*	
NEMATODE DISEA	ASES:		
Soybean Cys	t Nematode (Heterodera glycines)		
1 Race 1	1 Race 2 1 Race 3 1	Race 4 Other (S	pecify)
0 Lance Nemat	ode (Hoplolaimus Colombus)		
0 Southern Roo	ot Knot Nematode (Meloidogyne incognita)	•	
0 Northern Roc	ot Knot Nematode (Meloidogyne Hapla)		
O Peanut Root	Knot Nematode (Meloidogyne arenaria)		
0 Reniform Ne	matode (Rotylenchulus reniformis)		
OTHER DISE	EASE NOT ON FORM (Specify):		
20 PHYSIOLOGICAL PE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	if los 2 = Posisteret	
	s on Calcareous Soil	ible; 2 = Resistant)	
	•		
	y)		
	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)	
	Beetle (Epilachna varivestis)		
	lopper (Empoasca fabae)		
O Other (Specific	//		
22. INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	T SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	A3127	Seed Coat Luster	A3127
Leaf Shape	A3127	Seed Size	Williams
Leaf Color	A3127	Seed Shape	A3127
Leaf Size	A3127	Seedling Pigmentation	A3127
]	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted A3733	131	2.0	86	9	13	45.5	20.7	16.3	2.5
Name of Similar Variety A3127	124	1.8	86	9	13	45.9	20.3	14.5	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

A3733 was originated and developed by Brian J. Moraghan, Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.